



आरोग्यम् सुख सम्पदा

जैवचिकित्सा अपशिष्ट प्रबंधन विभाग
Department of Biomedical Waste Management
अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
Tatibandh, GE Road,
Raipur-492 099 (C.G.)
www.aiimsraipur.edu.in

AIIMS//BMW/2026/75

Date: 10/02/2026

To,
The Director
All India Institute of Medical Sciences
Raipur

Subject: Draft Copy of monthly report of Biomedical Waste Management of AIIMS Raipur for January 2026 to be submitted to Dte. GHS

Respected Sir,

In reference to letter No. 12646 dated 30.04.2021 from the Director Office, the undersigned submits the monthly report of biomedical waste management of AIIMS, Raipur, for January 2026 in the suggested format. It is to be communicated to Dte. GHS and needs your kind approval.

Thanking You

Yours Sincerely


10.02.2026

Dr. Ashish W Khobragade
Member Secretary
Biomedical Waste Management Committee
AIIMS, Raipur

Dr. Ashish Khobragade
(Member Secretary)
Bio-Medical Waste Management Committee
AIIMS, Raipur

Office of the Director AIIMS, Raipur	Disp. No. 919
Date 13.02.2026	


Form –IV

Bio Medical Waste Monthly Report: January 2026

S. No	Particulars	:	MONTHLY REPORT – January 2026	
1.	Particulars of the Occupier	:		
	(i) Name of the authorized person (occupier or operator of facility)	:	Director, AIIMS, Raipur	
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Sciences, Raipur	
	(iii) Address for Correspondence	:	Director Office, AIIMS, Raipur, Chhattisgarh PIN- 492099	
	(i) Address of Facility	:	G.E. Road, Tatibandh, Chhattisgarh	
	(ii) Tel. No. Fax. No.	:	0771-25729999	
	(V) E-mail ID	:	director@aiimsraipur.edu.in	
	(VI) URL of Website	:	https://www.aiimsraipur.edu.in/	
	(VII) GPS coordinates of HCF of CBMWTF	:	27.2046 ⁰ N, 77.4977 ⁰ S	
	(VIII) Ownership of HCF of CBMWTF	:	Autonomous Institute	
	(IX) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No. 1359/BMW/HO/CECB/2023 ATAL NAGAR, Raipur. Dated 01/06/2023 Valid up to 05.05.2026.	
	(X) Status of Consents under Water Act and Air Act.: Valid up to	:	31-01-2027	
2.	Type of Health Care Facility	:	Bedded Hospital and Research Institute	
	(i) Bedded Hospital	:	No. of Beds: 960	
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	-	
	(iii) License number and its date of expiry.	:	CG State- 3120	
3.	Details if CBMWTF	:	Not Applicable	
	(i) Number healthcare facilities covered by CBMWTF	:	-	
	(ii) No. of beds covered by CBMWTF	:	-	
	(iii) Installed treatment and disposal capacity of CBMWTF	:	-	
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	-	
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Red	23591.000 kg
		:	Yellow (including Cytotoxic waste)	18122.042 kg
		:	Blue (glass items)	2565.000 kg


10-02-2026

		White/-sharps	450.000 kg																																																
		General Waste	8349.00 kg																																																
		Total waste	53077.042 kg																																																
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : 457 Sq. meters																																																
			Capacity: 20,000 kg																																																
			Provision of on-site storage: (cold storage or any other provision): No																																																
	(ii) Disposal Facilities	:	<table border="0"> <thead> <tr> <th>Type of treatment Equipment</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed In Kg per Annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>2</td> <td>90 liters</td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td>340 liters</td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td>Purchased continuously as per requirement</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep Burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment Equipment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum	Incinerators				Plasma Pyrolysis				Autoclaves	2	90 liters		Microwave		340 liters		Hydroclave				Shredder				Needle tip cutter or destroyer			Purchased continuously as per requirement	Sharps encapsulation or concrete pit				Deep Burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of treatment Equipment	No of Units	Capacity Kg/day	Quantity treated or disposed In Kg per Annum																																																
Incinerators																																																			
Plasma Pyrolysis																																																			
Autoclaves	2	90 liters																																																	
Microwave		340 liters																																																	
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer			Purchased continuously as per requirement																																																
Sharps encapsulation or concrete pit																																																			
Deep Burial pits:																																																			
Chemical disinfection:																																																			
Any other treatment equipment:																																																			
	(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) Not applicable as all red category waste is handed over to CBMWTF																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	One																																																
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	:	<table border="0"> <thead> <tr> <th>Quantity Generated</th> <th>Where disposal</th> </tr> </thead> <tbody> <tr> <td>Incineration</td> <td>Not applicable</td> </tr> <tr> <td>Ash</td> <td></td> </tr> <tr> <td>ETP Sludge: 145 kg in January 2026</td> <td></td> </tr> </tbody> </table>	Quantity Generated	Where disposal	Incineration	Not applicable	Ash		ETP Sludge: 145 kg in January 2026																																									
Quantity Generated	Where disposal																																																		
Incineration	Not applicable																																																		
Ash																																																			
ETP Sludge: 145 kg in January 2026																																																			
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	SMS Water Grace Enviro Protect. Pvt. Ltd.																																																
	(vii) List of member HCF not handed over bio-medical waste.	:	Not Applicable																																																
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings	:	Yes, Minutes of previous meeting attached in Annual Report 2024. Available on AIIMS website.																																																


 10.02.2026


	held during the reporting period.	:	
7.	Detail trainings conducted on BMW in 2026	:	
	(i) Number of training conducted on BMW Management.	:	Nil in January 2026.
	(ii) Number of personnel trained	:	1624 out of 1634
	(iii) Number of personnel trained at the time of induction	:	1584
	(iv) Number of personnel not underwent any training so far.	:	10
	(v) Whether standard manual for training is available?	:	Yes
	(vi) Any other information)	:	Daily and monthly audits are performed regularly to ensure adherence to BMW handling guidelines.
8.	Details of the accident occurred during the year	:	No accidents
	(i) Number of Accidents occurred	:	0
	(ii) Number of the persons affected	:	0
	(iii) Remedial Action taken (Please attach details if any)	:	0
	(iv) Any Fatality occurred, details.	:	0
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?	:	Not applicable
	Details of Continuous online emission monitoring systems installed	:	Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	:	Yes, We have never failed to meet the standards.
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Yes
12.	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) Not applicable

Certified that the above report is for January 2026.

Date: 10-02-2026

Place: Raipur

Head of the Institution



Lt Gen Ashok Jindal (Retd)
Executive Director & CEO, AIIMS, Raipur

लेफ्टिनेंट जनरल अशोक जिंदल
Lt Gen Ashok Jindal (Retd)
कार्यपालक निदेशक एवं सीईओ
EXECUTIVE DIRECTOR & CEO
अखिल भारतीय आयुर्विज्ञान संस्थान
All India Institute of Medical Sciences
रायपुर (छत्तीसगढ़) / Raipur (Chhattisgarh)



SMS WATERGRACE ENVIROPROTECT PVT LTD

PHASE NO-20, KHASRA NO 70/1/2/5, SILTARA
Raipur

9999999999

HCF NAME : ALL INDIA INSTITUTE OF MEDICAL SCIENCES RAIPUR

HCF Code - 19689

Address G E ROAD TATIBANDH RAIPUR CG

G E ROAD TATIBANDH RAIPUR CG

G E ROAD TATIBANDH RAIPUR CG

Period From 01-Jan-2026 To 31-Jan-2026

Sr No	Date	Biomedical Waste											
		Yellow Waste		Red Waste		White Waste		Blue Waste		Cytotoxic Waste		Total	
		Nos	Kg	Nos	Kg	Nos	Kg	Nos	Kg	Nos	Kg	Nos	Kg
1	31-Jan-2026	160	480.000	175	255.000	6	07.000	20	60.000	2	4.000	363	806.000
2	30-Jan-2026	190	570.000	210	630.000	3	06.000	14	70.000	3	6.000	420	1282.000
3	29-Jan-2026	197	585.000	215	624.000	3	03.000	8	30.000	3	7.000	426	1249.000
4	28-Jan-2026	195	480.000	208	624.000	10	12.000	15	45.000	4	8.000	432	1169.000
5	27-Jan-2026	185	370.000	210	630.000	4	05.000	15	45.000		0.000	414	1050.000
6	26-Jan-2026	195	580.000	210	630.000	2	04.000	25	50.000	3	6.000	435	1270.000
7	25-Jan-2026	156	466.000	195	580.000	12	13.000	30	105.000	4	8.000	397	1172.000
8	24-Jan-2026	120	245.000	416	833.000	6	09.000	10	20.000	6	8.000	558	1115.000
9	23-Jan-2026	390	430.000	416	605.000	10	31.000	15	185.000		0.000	831	1251.000
10	22-Jan-2026	230	690.000	280	960.000	6	07.000	22	90.000	5	18.000	543	1765.000
11	21-Jan-2026	110	416.000	290	811.000	8	10.000	12	60.000	7	20.000	427	1317.000
12	20-Jan-2026	286	1144.000	273	1092.000	10	12.000	13	65.000	8	32.000	590	2345.000
13	19-Jan-2026	250	900.000	182	728.000	4	06.000	12	70.000	4	16.000	452	1720.000
14	18-Jan-2026	234	936.000	39	156.000	8	15.000	18	90.000	7	28.000	306	1225.000
15	17-Jan-2026	104	416.000	285	1140.000	11	15.000	15	45.000	6	18.000	421	1634.000
16	16-Jan-2026	170	670.000	134	936.000	9	37.000	13	52.000	17	33.000	343	1728.000
17	15-Jan-2026	210	840.000	326	1300.000	8	16.000	12	60.000	5	20.000	561	2236.000
18	14-Jan-2026	208	832.000	221	1105.000	10	21.000	13	75.000	6	36.000	458	2069.000
19	13-Jan-2026	195	730.000	234	936.000	3	05.000	13	55.000	4	16.000	449	1742.000
20	12-Jan-2026	144	576.000	160	640.000	2	04.000	13	65.000	3	7.000	322	1292.000
21	11-Jan-2026	182	728.000	195	850.000	10	10.000	15	75.000	3	12.000	405	1675.000
22	10-Jan-2026	204	816.000	240	960.000	7	35.000	19	95.000	6	30.000	476	1936.000
23	09-Jan-2026	222	884.000	272	1092.000	7	14.000	21	126.000	6	35.000	528	2151.000
24	08-Jan-2026	35	72.000	260	1040.000	8	24.000	19	114.000	7	35.000	329	1285.000
25	07-Jan-2026	182	546.000	234	835.000	3	09.000	25	125.000	6	18.000	450	1533.000
26	06-Jan-2026	130	520.000	150	750.000	3	07.000	20	110.000	5	30.000	308	1417.000
27	05-Jan-2026	110	270.000	325	780.000	2	04.000	20	165.000	8	25.000	465	1244.000
28	04-Jan-2026	89	381.000	110	621.000	12	91.000	5	13.000		0.000	216	1106.000
29	03-Jan-2026	80	361.000	120	518.000		00.000	15	150.000	2	11.000	217	1040.000
30	02-Jan-2026	120	320.000	150	350.000	8	10.000	18	135.000	4	24.000	300	839.000
31	01-Jan-2026	70	350.042	81	580.000	4	08.000	17	120.000	4	7.000	176	1065.042
	Grand Total	5353	17604.04 2	6816	23591.00 0	199	450.000	502	2565.000	148	518.000	13018	44728.04 2

Aj 10/02/2026
Ajay Singh
Sr. Nursing Officer
Bio-Medical Waste Management Committee
AIIMS, Raipur

10.02.2026
Dr. Ashish Khobragade
(Member Secretary)
Bio-Medical Waste Management Committee
AIIMS, Raipur

**All India Institute of Medical Sciences, Raipur
General Waste Record January-2026**

SL NO	DATE	BLUE in KG	GREEN in KG	SIGN SUPERVISOR	REMARK
1	01-01-2026	120	110		
2	02-01-2026	125	100		
3	03-01-2026	130	130		
4	04-01-2026	150	150		
5	05-01-2026	140	130		
6	06-01-2026	135	140		
7	07-01-2026	130	130		
8	08-01-2026	130	134		
9	09-01-2026	130	135		
10	10-01-2026	150	150		
11	11-01-2026	135	140		
12	12-01-2026	125	120		
13	13-01-2026	120	135		
14	14-01-2026	132	126		
15	15-01-2026	145	140		
16	16-01-2026	135	140		
17	17-01-2026	138	125		
18	18-01-2026	149	136		
19	19-01-2026	140	162		
20	20-01-2026	135	125		
21	21-01-2026	130	120		
22	22-01-2026	142	135		
23	23-01-2026	148	145		
24	24-01-2026	125	136		
25	25-01-2026	136	130		
26	26-01-2026	146	125		
27	27-01-2026	130	163		
28	28-01-2026	135	130		
29	29-01-2026	140	146		
30	30-01-2026	139	132		
31	31-01-2026	136	128		

4201

4148

Gross Total=4201+4148=8349kg



A
Smo. Bmw mgmt +
10/02/2026
Ajay Singh
Sr. Nursing Officer
Bio-Medical Waste Management Comm.
AIIMS, Raipur

Dr. Ashish Khobragade
10.02.2026
Dr. Ashish Khobragade
(Member Secretary)
Bio-Medical Waste Management Committee
AIIMS, Raipur